

# 37系列圆形射灯3W 暖光3000K测试报告

客户型号：MB003-37 RD 10051003

尺寸：A5纸张尺寸 142.5x210mm


要求：彩印 数量2000个

注意：红色虚线外框不要印出来！



## Light SpectroPhotoColorMeter Analysis Report

### Relative Spectral Energy Distribution:



### Main Parameters:

CCT	3000K	MainWave	584nm	Luminous	249.72lm	Efficiency	68.4
Current	0.031A	Voltage	220V	P	3.0W	PF	0.5
Average Color Index	79.8	No Flicker		Chromatic Coordinate	x=0.4334, y=0.3936 u=0.2528, v=0.3444		

### Other Parameters:

ColorPurity	48.2%	PeakWave	604 nm	Peak	9850.3
HalfWaveLength	126.1nm	RedRatio	22.6 %	HZ	50 Hz
CRI:	R1 = 75.6 R2 = 86.3 R3 = 92.8 R4 = 73.0 R5 = 74.0 R6 = 80.3 R7 = 81.2 R8 = 54.5 R9 = 11.9 R10 = 65.5 R11 = 67.3 R12 = 55.0 R13 = 77.7 R14 = 95.4 R15 = 70.6				

### Product Information:

Number	MB003-37 RD 10051003 3000K	Model	MB003-37 RD 10051003 3000K
Temperature	25°C	Humidity	≤95% R.H
Origin	MADE IN P. R. C.	Time	2018-04-16

Notes: THIS REPORT IS THE TEST DATA FROM THE MACHINE OF MANUFACTURER, THE RESULT TESTED BY PROFESSIONAL ENGINEER.