




4M
GRADE : A

LED STRIP LIGHTS (2024)





LED STRIP LIGHTS CATALOGUE 2024



WWW.LED4M.COM

HIGH VOLTAGE

1. VISTA SMD 2835 _ AC 220V.....	01
2. ROYAL SMD 2835 _ AC 220V.....	03
3. SALVIN SMD 2835 _ AC 220V.....	05
4. PARANA SMD 2835 _ AC 220V.....	07
5. VIONA SMD 3535 _ AC 220V.....	11
6. DENIPER SMD 2835 _ AC 220V.....	15
7. VILS SMD 2835 _ AC 220V.....	17
8. NIKO COB _ AC 220V.....	21
9. REGA SMD 2835 _ AC 220V.....	23
10. MASADA SMD 2835 _ AC 220V.....	25
11. CRUISE SMD 5730 _ AC 220V.....	29
12. RIVA SMD 2835 _ AC 220V.....	31
13. VOLGA SMD 5050 _ AC 220V.....	33
14. LAMBORN SMD 2835 RGB _ AC 220V.....	35
15. LAXFORD SMD 2835 _ AC 220V.....	37
16. BELFORD SMD 2835 _ AC 220V.....	41
17. MATRA SMD 2025 _ AC 220V.....	45

LOW VOLTAGE

1. ARVAND SMD 5050 _ DC 12V.....	09
2. BALTIC SMD 2835 _ DC 24V.....	13
3. EVAN COB _ DC 24V.....	19
4. BRUNO SMD 2835 _ DC 24V.....	27
5. BRODY SMD 2835 _ DC 24V.....	39
6. ARGON SMD 2835 _ DC 24V.....	43
7. SHANEL COB _ DC 24V.....	47



CODE	CUT SIZE	VOLTAGE	LED QTY	PRDC SIZE	BEAM ANGLE	PCB SIZE
2835120	1 Meter	AC 220V	120 Led/M	12×5.5 mm	120°	8 mm
WATT	IP GRADE	MATERIAL	CRI (RA)	PACKAGE	LUMINOUS	PF

7 W/M	IP65	PVC	70	50 M/Roll	500 - 600 L/M	>0.95
-------	------	-----	----	-----------	---------------	-------


DIMMABLE







CODE	CUT SIZE	VOLTAGE	LED QTY	PRDC SIZE	BEAM ANGLE	PCB SIZE
Miniu2835108P	1 Meter	AC 220V	108 Led/M	16x8 mm	120°	6 mm
WATT	IP GRADE	MATERIAL	CRI (RA)	PACKAGE	LUMINOUS	PF
8 W/M	IP65	PVC	70	50 M/Roll	185 L/M	>0.95

DIMMABLE






CODE	CUT SIZE	VOLTAGE	LED QTY	PRDC SIZE	BEAM ANGLE	PCB SIZE
2835180L	1 Meter	AC 220V	180 Led/M	15.5×6.8 mm	120°	12 mm
WATT	IP GRADE	MATERIAL	CRI (RA)	PACKAGE	LUMINOUS	PF
9 W/M	IP65	PVC	70	50 M/Roll	650 L/M	>0.95

DIMMABLE








CODE	CUT SIZE	VOLTAGE	LED QTY	PRDC SIZE	BEAM ANGLE	PCB SIZE
1000147	1 Meter	AC 220V	144 Led/M	16×16 mm	120°	6 mm
WATT	IP GRADE	MATERIAL	CRI (RA)	PACKAGE	LUMINOUS	PF

7 - 8 W/M	IP65	PVC	70	50 M/Roll	500 L/M	>0.95
-----------	------	-----	----	-----------	---------	-------

DIMMABLE







CODE	CUT SIZE	VOLTAGE	LED QTY	PRDC SIZE	BEAM ANGLE	PCB SIZE
MBSMD505060P12V	5 CM (3 LED)	DC 12V	60 Led/M	17.5 mm	120°	9.5 mm
WATT	IP GRADE	MATERIAL	CRI (RA)	PACKAGE	LUMINOUS	PF

8.5 W/M	IP65	Coverless	70	5 M/Roll	350 L/M	>0.95
---------	------	-----------	----	----------	---------	-------

DIMMABLE

COVERLESS

ADHESIVE TAPE







CODE	CUT SIZE	VOLTAGE	LED QTY	PRDC SIZE	BEAM ANGLE	PCB SIZE
353510010	10 CM	AC 220V	100 Led/M	14×8.3 mm	120°	10 mm
WATT	IP GRADE	MATERIAL	CRI (RA)	PACKAGE	LUMINOUS	PF

7 W/M	IP65	PVC	70	50 M/Roll	600 - 700 L/M	>0.95
-------	------	-----	----	-----------	---------------	-------

DIMMABLE

WITH LENS







CODE	CUT SIZE	VOLTAGE	LED QTY	PRDC SIZE	BEAM ANGLE	PCB SIZE
1000179	2 CM (1 LED)	DC 24V	48 Led/M	13x8 mm	120°	11 mm
WATT	IP GRADE	MATERIAL	CRI (RA)	PACKAGE	LUMINOUS	PF

18 W/M	IP20	Coverless	70	10 M/Roll	600 L/M	>0.95
--------	------	-----------	----	-----------	---------	-------

DIMMABLE

LENS STRIP

ADHESIVE TAPE **COVERLESS**









CODE	CUT SIZE	VOLTAGE	LED QTY	PRDC SIZE	BEAM ANGLE	PCB SIZE
1000157	10 CM	AC 220V	110 Led/M	12x5 mm	120°	10 mm
WATT	IP GRADE	MATERIAL	CRI (RA)	PACKAGE	LUMINOUS	PF
10 W/M	IP65	Silicone	70	100 M/Roll	900 L/M	>0.95

DIMMABLE

ADHESIVE TAPE







CODE	CUT SIZE	VOLTAGE	LED QTY	PRDC SIZE	BEAM ANGLE	PCB SIZE
283560P	1 Meter	AC 220V	60 Led/M	11x6 mm	120°	5.5 mm
WATT	IP GRADE	MATERIAL	CRI (RA)	PACKAGE	LUMINOUS	PF

4 W/M	IP65	PVC	70	50 M/Roll	250 L/M	>0.95
-------	------	-----	----	-----------	---------	-------

DIMMABLE

SUNLIGHT UV PROTECTED







CODE	CUT SIZE	VOLTAGE	LED QTY	PRDC SIZE	BEAM ANGLE	PCB SIZE
1000178	2.5 CM	DC 24V	240 Led/M	10.4 mm	120°	8 mm
WATT	IP GRADE	MATERIAL	CRI (RA)	PACKAGE	LUMINOUS	PF
10 W/M	IP68	Silicone	70	50 M/Roll	900 L/M	>0.95

DIMMABLE

ADHESIVE TAPE







CODE	CUT SIZE	VOLTAGE	LED QTY	PRDC SIZE	BEAM ANGLE	PCB SIZE
3062012889	50 CM	AC 220V	288 Led/M	13x6 mm	120°	8 mm
WATT	IP GRADE	MATERIAL	CRI (RA)	PACKAGE	LUMINOUS	PF
10 W/M	IP65	PVC	70	50 M/Roll	900 L/M	>0.95

DIMMABLE







CODE	CUT SIZE	VOLTAGE	LED QTY	PRDC SIZE	BEAM ANGLE	PCB SIZE
1000158	10 CM	AC 220V	120 Led/M	10x4 mm	120°	8 mm
WATT	IP GRADE	MATERIAL	CRI (RA)	PACKAGE	LUMINOUS	PF

6 W/M	IP44	PVC	70	50 M/Roll	500 - 600 L/M	>0.95
-------	------	-----	----	-----------	---------------	-------

DIMMABLE

ADHESIVE TAPE







CODE	CUT SIZE	VOLTAGE	LED QTY	PRDC SIZE	BEAM ANGLE	PCB SIZE
328351060H	1 Meter	AC 220V	60 Led/M	11x6 mm	120°	10 mm
WATT	IP GRADE	MATERIAL	CRI (RA)	PACKAGE	LUMINOUS	PF
8 W/M	IP65	PVC	70	50 M/Roll	600 -700 L/M	>0.95

DIMMABLE

HIGH LUMEN

SUNLIGHT UV PROTECTED







CODE	CUT SIZE	VOLTAGE	LED QTY	PRDC SIZE	BEAM ANGLE	PCB SIZE
32835224V240	2.5 CM	DC 24V	240 Led/M	12x2 mm	180°	12 mm
WATT	IP GRADE	MATERIAL	CRI (RA)	PACKAGE	LUMINOUS	PF

16 W/M	IP20	Coverless	80	10 M/Roll	1300 - 1400 L/M	>0.95
--------	------	-----------	----	-----------	-----------------	-------



DIMMABLE
COVERLESS
ADHESIVE TAPE






CODE	CUT SIZE	VOLTAGE	LED QTY	PRDC SIZE	BEAM ANGLE	PCB SIZE
573060L	1 Meter	AC 220V	60 Led/M	14.5×7.3 mm	120°	8 mm
WATT	IP GRADE	MATERIAL	CRI (RA)	PACKAGE	LUMINOUS	PF
6 W/M	IP65	PVC	70	50 M/Roll	290 L/M	>0.95

DIMMABLE







CODE	CUT SIZE	VOLTAGE	LED QTY	PRDC SIZE	BEAM ANGLE	PCB SIZE
32835240	5 CM	AC 220V	240 Led/M	13x4.5 mm	120°	12 mm
WATT	IP GRADE	MATERIAL	CRI (RA)	PACKAGE	LUMINOUS	PF
12 W/M	IP44	PVC	70	50 M/Roll	1200 L/M	>0.95

DIMMABLE

ADHESIVE TAPE







CODE	CUT SIZE	VOLTAGE	LED QTY	PRDC SIZE	BEAM ANGLE	PCB SIZE
505060P	1 Meter	AC 220V	60 Led/M	14x6.5 mm	120°	8 mm
WATT	IP GRADE	MATERIAL	CRI (RA)	PACKAGE	LUMINOUS	PF
8 W/M	IP65	PVC	70	50 M/Roll	350 L/M	>0.95

DIMMABLE

SUNLIGHT UV PROTECTED







CODE	CUT SIZE	VOLTAGE	LED QTY	PRDC SIZE	BEAM ANGLE	PCB SIZE
2835120	1 Meter	AC 220V	120 Led/M	13.6x 6 mm	120°	10 mm
WATT	IP GRADE	MATERIAL	CRI (RA)	PACKAGE	LUMINOUS	PF

7 W/M	IP65	PVC	70	50 M/Roll	500 - 600 L/M	>0.95
-------	------	-----	----	-----------	---------------	-------

DIMMABLE







CODE	CUT SIZE	VOLTAGE	LED QTY	PRDC SIZE	BEAM ANGLE	PCB SIZE
3528Multi	1 Meter	AC 220V	60 Led/M	15x8 mm	120°	8 mm
WATT	IP GRADE	MATERIAL	CRI (RA)	PACKAGE	LUMINOUS	PF
4 W/M	IP65	PVC	70	50 M/Roll	155 L/M	>0.95

DIMMABLE

MULTI

BUTTON CONTROL







CODE	CUT SIZE	VOLTAGE	LED QTY	PRDC SIZE	BEAM ANGLE	PCB SIZE
32835124V240	2.5 CM	DC 24V	240 Led/M	10×2 mm	180°	10 mm
WATT	IP GRADE	MATERIAL	CRI (RA)	PACKAGE	LUMINOUS	PF
16 W/M	IP20	Coverless	80	10 M/Roll	1300 - 1400 L/M	>0.95

DIMMABLE

COVERLESS

ADHESIVE TAPE








CODE	CUT SIZE	VOLTAGE	LED QTY	PRDC SIZE	BEAM ANGLE	PCB SIZE
Strip330	1 Meter	AC 220V	108 Led/M	17.5 mm	330°	6 mm
WATT	IP GRADE	MATERIAL	CRI (RA)	PACKAGE	LUMINOUS	PF
8 W/M	IP65	PVC	70	50 M/Roll	200 L/M	>0.95

DIMMABLE









CODE	CUT SIZE	VOLTAGE	LED QTY	PRDC SIZE	BEAM ANGLE	PCB SIZE
1000156	5 CM	DC 24V	120 Led/M	10x4 mm	120°	8 mm
WATT	IP GRADE	MATERIAL	CRI (RA)	PACKAGE	LUMINOUS	PF
8 W/M	IP68	Silicone	70	100 M/Roll	800 L/M	>0.95

DIMMABLE

ADHESIVE TAPE







CODE	CUT SIZE	VOLTAGE	LED QTY	PRDC SIZE	BEAM ANGLE	PCB SIZE
320251280	0.5 Meter	AC 220V	280 Led/M	12 x 7 mm	120°	8 mm
WATT	IP GRADE	MATERIAL	CRI (RA)	PACKAGE	LUMINOUS	PF

8.5 W/M	IP65	PVC	70	50 M/Roll	580 L/M	>0.95
---------	------	-----	----	-----------	---------	-------

DIMMABLE

RECESSED

BODY: WHITE & BLACK **EDGE SIZE: 20MM**







CODE	CUT SIZE	VOLTAGE	LED QTY	PRDC SIZE	BEAM ANGLE	PCB SIZE
310000252	5.5 CM	DC 24V	48 Led/M	7.5×2 mm	120°	8 mm
WATT	IP GRADE	MATERIAL	CRI (RA)	PACKAGE	LUMINOUS	PF
10 W/M	IP20	PVC	70	5 M/Roll	1000 L/M	>0.95

DIMMABLE

HIGH LUMEN

ADHESIVE TAPE







NOTE

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

